



Light-Controlled Protein Delivery Using Plasmonic Gold Nanoparticles

Name: Dorian Bruch


Major: Chemical Engineering

Mentor: Dean Morales


Faculty Advisor: Dr. Norbert Reich

Department: Chemistry/Biochemistry

Light-control is a solution to timeresolved studies of cellular processes




Optogenetic proteins require substantial effort to create




Optogenetic protein (inactive)

Optogenetic proteins require substantial effort to create




Nanoparticles can provide a lightcontrolled release





Nanoparticle with Native Protein

Nanoparticles can provide a lightcontrolled release



Native Protein





Protein Released

Nanoparticle Assembly

Nanoparticle Assembly

Delivery and Evaluation




Cells


Nanoparticle Assembly





Nanoparticle Assembly




Nanoparticle Assembly










Nanoparticle Assembly




Nanoparticle Assembly










P53 Promoter Plasmid






P53 Introduced









Red Fluorescent Protein Produced

P53 EMSA




8 % NATIVE PAGE


P53 EMSA





8 % NATIVE PAGE


Purity of the P53














Continued Efforts

Establish control to show promoter is functional

Delivery of p53 to cells with validated promoter

Acknowledgments

Dean Morales
Reich Laboratory
California Nanosystems Institute
Neural Research Institute







DNA Annealing

